

Consider the following four languages:

- $A_1 = \{\#0^n 1^{2^n} 0^n \# \mid n \geq 0\}$
- $A_2 = \{\#0^m 1^{m+n} 0^n \# \mid m, n \geq 0\}$
- $A_3 = \{\langle M \rangle \mid M \text{ is a DTM that for every input of length } n \text{ uses at most } n \text{ steps}\}$
- $A_4 = \{\langle M \rangle \mid M \text{ is a DTM that for every input of length } n \text{ uses at most } n \text{ tape cells}\}$

DTM stands for deterministic Turing machine. If a Turing machine uses at most  $n$  steps, then it must reach an accepting or rejecting state within at most  $n$  steps. If a Turing machine uses at most  $n$  tape cells, then it may loop without moving past the first  $n$  tape cells.

We say that a language  $A$  is *co-c.f.* if its complement  $\overline{A}$  is context-free. Consider the following six mutually exclusive statements about a language  $A$ :

- S1** The language  $A$  is regular.
- S2** The language  $A$  is context-free and co-c.f., but not regular.
- S3** The language  $A$  is context-free, but not co-c.f.
- S4** The language  $A$  is co-c.f., but not context-free.
- S5** The language  $A$  is recursive, but neither context-free nor co-c.f.
- S6** The language  $A$  is r.e., but not recursive.
- S7** The language  $A$  is co-r.e., but not recursive.
- S8** The language  $A$  is neither r.e. nor co-r.e.

You are asked to determine for each language  $A_1$  to  $A_4$  which one of the statements **S1** to **S8** is true. You need to justify your answers as follows:

- To justify **S1**, give the transition diagram of a finite automaton that accepts  $A$ .
- To justify **S2**, give the transition diagram of a *deterministic* pushdown automaton that accepts  $A$ . You need not give a proof that  $A$  is not regular.
- To justify **S3**, give (i) a context-free grammar that generates  $A$  and (ii) a pumping proof that  $\overline{A}$  is not context-free.
- To justify **S4**, give (i) a context-free grammar that generates  $\overline{A}$  and (ii) a pumping proof that  $A$  is not context-free.
- To justify **S5**, give (i) a high-level description of a Turing decider that accepts  $A$ , (ii) a pumping proof that  $A$  is not context-free, and (iii) a pumping proof that  $\overline{A}$  is not context-free.
- To justify **S6**, give (i) a high-level description of a Turing machine that accepts  $A$  and (ii) a mapping reduction from either  $\text{TMMEMBERSHIP}$  or  $\overline{\text{TMEMBERSHIP}}$  to  $A$ .
- To justify **S7**, give (i) a high-level description of a Turing machine that accepts the complement of  $A$  and (ii) a mapping reduction from  $\overline{\text{TMMEMBERSHIP}}$  or  $\text{TMEMBERSHIP}$  to  $A$ .
- To justify **S8**, give a mapping reduction from  $\text{Tmuniversality}$  or  $\overline{\text{Tmuniversality}}$  to  $A$ .

Good luck!